

# HOMEPLUS INSECT SCREENS

www.Homeplus.co.nz



# DOOR

# **VENETTE™ PLEATED RETRACTABLE SCREEN DOORS**

Your ultimate insect screen is a stylish architectural solution, literally opening up the screening possibilities for your home. Robust and modern, Venette pleated screens can be custom made for single, double, bifold and sliding doors, including multiple stacking doors with widths up to 9.3 metres.

Elegant and easy to use, Venette glides smoothly with the touch of a finger, can be stopped in any position and magnetically latches shut. The discrete 3mm track installs flat to the ground, so there is no bottom channel to trip on or step over.

Strong aluminium frames, high quality polyester pleated mesh and Kevlar guide wires combine with exclusive patented features to prevent the mesh from sagging.

#### SPECIFICATIONS

## 3000mm N HEIGHT 1020mm


(Without visible mesh in closed position) - 1350mm (With visible mesh in closed position) - 1550mm (With Centre Support Rods & visible mesh in closed position): 2000mm (Without visible mesh in closed position) - 2700mm (With visible mesh in closed position) - 3100mm

(With Centre Support Rods & visible mesh in closed position): 4000mm


(Without visible mesh in closed position) - 8100mm (With visible mesh in closed position) - 9300mm \*Note: Notwithstanding the above the maximum width per Panel = overall height less 250mm

Dulux Duralloy colour matched to existing joinery

### **Opening Configurations**




#### Pleated Screen Part Profiles






**Top Profile** 

Side Profile



**Cassette Profiles with Pleated Fabric** 



**Bottom Guide** 

LEGEND





Can be Stopped In Any Position Variety of Configurations



No Bottom Channels

Easy to Use



# DOOR SCREENS

# GENIUS® RETRACTABLE INSECT SCREEN DOORS

A clever way to keep insects and mosquitoes at bay! Genius Italian designed retractable screen doors feature a low profile 23mm aluminium bottom channel and roll up into an attractive aluminum cassette when not in use.

Other features include:

- Brake for Safe and Controlled Retraction
- Full Length Magnetic Closing Seals
- Blowout Resistant Brush Pile
- Two Cassette Choices: 36mm or 46mm
- Double or Single Door Configurations
- Optional Full Length Sturdy Pull Handle
- Optional Pet Resistant Mesh (Series 46)
- Matching Vertical Versions for Windows

500mm

1000mm

2600mm

S36 - 1500mm

S46 - 1700mm

# SPECIFICATIONS

## SINGLE DOORS MIN WIDTH MAX WIDTH

MIN HEIGHT MAX HEIGHT

INSECT MESH HARDWARE COMPONENTS TOP GUIDE

# DOUBLE DOORS

N WIDTH AX WIDTH N HEIGHT AX HEIGHT

1000mm S36 - 3000mm S46 - 3400mm 1000mm 2600mm


Fibreglass 18x16 Charcoal / Pet Resistant Mesh Stainless Steel Spring, Viscodynamic Brake, Anti-Wind Pile Black or White 30mm 23mm

Dulux Duralloy colour matched to existing joinery



Choice of Two Headbox Series






Series 36mm Headbox for smaller openings Series 46mm Headbox for larger openings



Expandable Mesh - Safety Feature



Viscodynamic Brake



Pet Resistant Mesh



Anti-Wind Brush Pile



# VALENTIA<sup>™</sup> SLIDING INSECT SCREEN DOORS

Sliding insect screen doors are lightweight and economical, ideal for screening either aluminium or timber sliding door joinery. The low installation depth of the external tracks makes them very neat and versatile.

Valentia is the preferred insect screen solution in applications where wind gusts can be a problem for other types of screens.

A combination of strong aluminium corners and non–visible adjustable nylon bottom rollers make for a sturdy and smooth sliding insect screen. A slim-line matching vision rail helps prevent children from accidentally running into the screen. Powder coated aluminium frames are colour matched to your existing joinery. Infill options include pet resistant mesh and Look-Out<sup>™</sup> One Way Vision Mesh.

### SPECIFICATIONS

MAX HEIGHT	2100mm
MAX WIDTH	1300mm
	Juralco Fibreglass 17x14 Black,
	Pet Resistant or Look-Out <sup>™</sup> One Way Vision Mesh
COLOURS	Standard colour selection
	Powder Coated Arctic White,
	Mid Bronze, Anodised Bronze and Anodised Silver

USTOM COLOUR SELECTION

Dulux Duralloy colour matched to existing joinery

# VALENTIA<sup>TM</sup> HINGED INSECT SCREEN DOORS

Hinged insect screen doors are a simple and convenient screening solution for both aluminium and timber doors. Valentia is the preferred insect screen solution in applications where wind gusts can be a problem for other types of screens.

A matching vision rail helps prevent children from accidentally running into the screen. A choice of either locking or non-locking pull handles can be colour matched along with the frame to your joinery. Automatic closing is popular with the addition of an optional pneumatic door closer. Other options include One Way Vision Mesh, pet mesh or a bottom kick rail to help protect the mesh from accidental damage.

### SPECIFICATIONS

MAX WIDTH 1100mm		
INSECT MESH       Juralco Fibreglass 17x14 Black, Pet Resistant or Look-Out <sup>™</sup> One Way Vision Mesh         COLOURS       Standard colour selection Powder Coated Arctic White, Mid Bronze, Anodised Bronze and Anodised Silver	MAX HEIGHT	2100mm
COLOURS       Pet Resistant or Look-Out <sup>™</sup> One Way Vision Mesh         COLOURS       Standard colour selection         Powder Coated Arctic White,       Mid Bronze, Anodised Bronze and Anodised Silver	MAX WIDTH	1100mm
COLOURS Standard colour selection Powder Coated Arctic White, Mid Bronze, Anodised Bronze and Anodised Silver		Juralco Fibreglass 17x14 Black,
Powder Coated Arctic White, Mid Bronze, Anodised Bronze and Anodised Silver		Pet Resistant or Look-Out <sup>™</sup> One Way Vision Mesh
Mid Bronze, Anodised Bronze and Anodised Silver	COLOURS	Standard colour selection
		Powder Coated Arctic White,
CUSTOM COLOUR SELECTION		Mid Bronze, Anodised Bronze and Anodised Silver
	CUSTOM COLOUR S	ELECTION

Dulux Duralloy colour matched to existing joinery



# WINDOW SCREENS

# GENIUS® RETRACTABLE INSECT SCREEN WINDOWS

Match your Genius retractable door with a similar window system. Retractable window screens are fitted with an attractive, matching headbox, so the insect screen can be rolled away neatly, when not required. With a choice of two head box systems, (36mm or 46mm) Genius retractable window screens combine modern Italian design with durable functionality.

A patented Viscodynamic brake is provided as a standard feature on all of our retractable window screens - preventing the screen from snapping shut during retraction. A mohair seal along the bottom rail prevents damage to the window sill. The head box, side channels and bottom rail are all powder coated to colour match your existing window joinery.

#### SPECIFICATIONS

MIN WIDTH	500mm
MAX WIDTH	S36 – 1500mm, S46 – 1800mm
MIN HEIGHT	500mm
MAX HEIGHT	S36 - 1500mm, S46 - 2600mm
SIDE GUIDES	30mm
ORIENTATION	Vertical or Horizontal
CUSTOM COLOU	JR SELECTION
	Dulux Duralloy colour matched to existing joinery







Fully Retracted Screen

Fully Closed Screen

# MAGNETIC INSECT WINDOW SCREENS



Magnetic insect screens with their magnetic "snap shut" action are economical and versatile. Custom made and installed with a decorative cover strip that matches your existing joinery, pull tab handles prevent screen damage when opening or closing your windows.

### SPECIFICATIONS

MAX SIZE
COLOURS
CUSTOM COLOL

1.0 square metres Juralco Fibreglass 17x14 Black Black, Brown, Grey, Off White and White JR SELECTION Dulux Duralloy colour matched to existing joinery

# ALUMINIUM FRAME INSECT WINDOW SCREENS



#### Hinged Insect Window Screens

HINGED INSECT SCREEN windows can be removed easily; through the use of an optional two piece hinging system, making cleaning and winter storage straight forward.



A Mohair seal protects joinery and prevents insects from getting in between little gaps.

**Removable Hinge** 



#### Sliding Insect Window Screens

**SLIDING INSECT SCREEN** windows are effortless to open and close and can be simply removed if not required. Ideal for fitting to aluminium or timber joinery.

SPECIFICATIONS

INSECT ME

1.5 square metres
Juralco Fibreglass 17x14 Black
Standard colour selection
Powder coated Arctic White, Mid Bronze,
Anodised Bronze and Anodised Silver

CUSTOM COLOUR SELECTION Dulux Duralloy colour matched to existing joinery REASONS TO CHOOSE AN HOMEPLUS INSECT SCREEN

- 1 ENJOY YOUR HOME MORE IN SUMMER Open up your home to let the fresh air in without disease carrying insects!
- 2 CUSTOM MADE PROTECTION Custom made to fit your window and door joinery exactly, in a wide choice of colour and configurations
- 3 **DURABLE AND ENVIRONMENTALLY FRIENDLY** Quality NZ made screens for years of chemical free insect protection
- 4 EASY CLEAN AND EASY CARE Hard wearing, easy clean materials for long life
- 5 INNOVATIVE PROTECTION Advanced and patented insect protection, with proven effectiveness from installations worldwide

6 TIMELESS DESIGN

Unobtrusive, elegant top quality materials

- 7 EXPERT SERVICE AND INSTALLATION A wide range of screens and expert advice means the right screen selection
- 8 VALUE FOR MONEY

Efficient local New Zealand production and installation and competitive prices

9 QUALITY FROM THE MARKET LEADER HomePlus screens are sourced from Juralco, NZ largest supplier of insect screen systems

#### 10 5 YEAR WARRANTY

On aluminium, labour and parts (excluding mesh)



For warranty terms and conditions see www.homeplus.co.nz

Available from:

Our team of professionals will help you to customise your new insect screen, with an onsite consultation that includes a no obligation measure and quote. For more information call your local HomePlus store on **0800 466 375** 



# WWW.HOMEPLUS.CO.NZ

H/BR/INSECT/14

The products in this catalogue are the subject of intellectual property protection. HomePlus ®, the HomePlus Device® are registered trademarks of Juralco Aluminium Building Products Ltd. All dimensions given are approximate and should be checked prior to installation. Photographs or illustrations may not exactly match the specification available in your area. Please consult your nearest HomePlus display centre for advice. - ©Juralco Aluminium Building Products Ltd 2014.